

table—Secondary eating and secondary drinking characteristics by month—in back of this Guide.)

For secondary drinking, however, the percentage who reported secondary drinking “all day” of all people who engaged in secondary drinking shifted up in December 2006 to about 4 percent, continued to increase each month until leveling off around 13 percent in the second half of 2007, and then increased again to an average of 15 percent over 2008. As a consequence, the addition of the “all day” option led to an increase in the mean duration of secondary eating and of secondary drinking. However, the percentage of respondents reporting any secondary eating was fairly level over 2007 and 2008, as was the percentage reporting any secondary drinking.

The large difference in time spent in secondary drinking before and after introducing the “all day” option speaks to the difficulty in measuring time spent in secondary drinking. For the respondent, time spent in secondary drinking is a more difficult activity to report on than secondary eating, which typically takes place over a shorter, more easily defined period of time. Measuring time spent in a long-duration activity may introduce errors in recall similar to the finding that workers in certain occupations with long work weeks perceive themselves as working even longer than they do. (U.S. Department of Labor, Bureau of Labor Statistics, “Are Managers and Professionals Really Working More?” Issues in Labor Statistics, Summary 00-12, May 2000).

The mean time spent in secondary eating was 15.8 minutes in 2006, 26.4 minutes in 2007, and 28.1 minutes in 2008, compared with a median time of 15 minutes for all months of 2006, 2007, and 2008. This indicates that the mean is being influenced by a relatively small number of high values (longer durations) in the right tail of the distribution. The median time spent in secondary drinking increased from 35 minutes in 2006 to 60 minutes in 2008 (almost doubling), with the mean increasing from 119 to 126 minutes.

Time spent in primary eating, secondary eating, and secondary drinking of beverages all have skewed, or asymmetric, distributions. A symmetric distribution has a skewness measure of 0, whereas the skewness measure is 1.6 for primary eating, 7.5 for secondary eating, and 3.7 for secondary drinking in 2007. For a comparison, the skewness of the distribution of time spent in sleep is 0.6. That the skewness measures have positive values means that the distributions are skewed right, that is, that the right tail (high values) is longer than the left tail. In such a distribution, there are a small number of observations with high values as is also found in the U.S. household income distribution (a series that is skewed right, with a small number of households having very high incomes). With skewed distributions, the median is the preferred summary indicator.

There are several possibilities for researchers to deal with changes stemming from the addition of the “all day” option. The data for 2006, 2007, and 2008 are internally consistent, meaning that there are no consistency issues in separately using the data sets for individual years. In pooling 2006-08, however, the researcher may want to consider using medians for skewed distributions. In multivariate analysis, one or more shift variables should be used to indicate changes in the survey instrument. Other possibilities include analyzing the “all day” observations separately or topcoding values for time spent in secondary eating and secondary drinking (similar to income topcodes). The appropriate method for dealing with the survey instrument change depends upon the specific application.

IMPORTANT NOTE

Secondary eating and secondary drinking cannot be added as a simple sum with primary eating to obtain total time eating and drinking.

The respondent is asked to report the amount of time spent in secondary eating and in secondary drinking activities; however, if the respondent reports both activities, it is not known if they happened at the same time. For example, a respondent reports having spent 5 minutes engaged in secondary eating (EUEDUR24) and 15 minutes engaged in secondary drinking (EUDDUR24) while doing paid work from 1 p.m. to 5 p.m. (4 hours). It is not known if the 5 minutes of eating overlapped with the 15 minutes of drinking, only that both happened between 1 p.m. and 5 p.m. From 8 p.m. to 10 p.m., the respondent spent 2 hours watching television and reported engaging in secondary eating and secondary drinking the entire time.

EUEDUR24 (amount of time spent on secondary eating) and EUDDUR24 (amount of time spent on secondary drinking) cannot be totaled into a simple sum because first, it is not known if there is overlap, and second, adding the two time durations may result in more than 24 hours in a day for some of the respondents.

ERS suggests estimating a range for total time spent in secondary eating and secondary drinking activities. The minimum of the range would assume all overlap, and the maximum would assume no overlap. In the example above, the minimum would be 15 minutes and the maximum would be 20 minutes, as the respondent engaged in secondary eating and secondary drinking during paid work.

The duration of the primary activity must be taken into account. In the example above, the respondent watched television from 8 p.m. until 10 p.m. and engaged in secondary eating and secondary drinking the entire time. For the primary activity of watching television, the duration is 120 minutes, so the minimum total time in secondary eating and drinking is 120 minutes and the maximum time is 120 minutes. For more information on the methodology used by ERS to estimate total eating times, see Documentation—Estimation of Total Time Spent in Eating and Drinking: <http://www.ers.usda.gov/data/ATUS/documentation>.

The variable ERTPREAT is the total time spent on actual eating and drinking as a primary activity. It is the sum of eating and drinking activities from the ATUS Activity file. Note however, that official ATUS estimates from the annual BLS news releases of total time spent on eating and drinking are calculated using all activity categories in the major category (Eating and Drinking). Some estimates include travel time associated with eating, such as driving to a restaurant. The major category also includes waiting activities associated with eating, such as waiting for food to be served or waiting for a table at a restaurant.

The variable ERTPREAT on the EH Module Respondent file is more restrictive, being the sum of 110101, 110199, 119999, and 050202. The activity 050202 (eating and drinking as part of job) is included in the EH Module definition of total time spent on eating and drinking. (On the annual ATUS news release, 050202 is included in estimates of Working and Work-related Activities.) Examples of 050202 from the ATUS Activity Lexicon (<http://www.bls.gov/tus/lexicons.htm>) are:

- eating/drinking with clients (part of job)
- eating/drinking with customers (part of job)
- eating/drinking with co-workers (part of job)
- eating/drinking with bosses (part of job)
- eating lunch/dinner with clients (part of job)

Because the BLS estimates have a different definition and different final weights than the EH Module estimates, the BLS estimates will differ slightly from the EH Module estimates of total time spent in eating and drinking as a primary activity.

Differences between BLS estimates and ERS estimates of time spent in primary eating and drinking activities are as follows:

- BLS estimates include 1101xx, 1102xx, 119999, and sometimes 1811xx.
- ERS estimates include 1101xx, 119999, and 050202.
- BLS estimates use the ATUS final weight TUFINLWGT.
- ERS estimates use only completed EH interviews (TREMOCR = 1) and the EH final weight EUFINLWGT.

Time-of-day estimates: Included in the Current Findings are time-of-day estimates. ERS uses SAS to calculate estimates for secondary eating and drinking by aligning the mid-point of primary activity duration with the mid-point of the duration of the secondary eating or drinking activity in order to estimate when the secondary eating/drinking occurred. Our experience is that these estimates are sensitive to the specific SAS functions used, and the order in which the calculations are done. As a consequence, others' estimates may not match exactly due to rounding.

General health, height, and weight

EUGENHTH	In general, would you say that your physical health was excellent, very good, good, fair, or poor?
EUHGT	How tall are you without shoes? (in inches)
ETHGT	Topcode flag for height (EUHGT).
EUWGT	How much do you weigh without shoes? (in pounds)
ETWGT	Topcode flag for weight (EUWGT).
ERBMI	Body mass index.

Motivation:

Obesity is the most common food and nutrition-related health problem in America. Health professionals and economists have been conducting research to discover whether excess caloric intake or insufficient exercise is to blame for America's growing obesity problem. The EH Module, used in conjunction with the core ATUS, could reveal the types of activities and eating patterns that lead to obesity and those that help to maintain healthy weight, overall health, and well-being.

Body Mass Index (BMI), a widely used measure of weight status, can be analyzed in conjunction with the time diary information. Data on time spent in sedentary and active pursuits, along with eating patterns (secondary eating and secondary drinking), demographic characteristics, and labor force information, will provide researchers the ability to analyze time use for various subgroups by BMI. Self-rated health status is an inexpensive measure that has been found to provide meaningful information on health and well-being. Self-reported general health status has been found to predict mortality and morbidity and is used in other Federal surveys to assess overall well-being. (See Hennessy, C.H., D.G. Moriarty, M.M. Zack, P.A. Scherr, R. Brackbill, "Measuring Health-Related Quality of Life for Public Health Surveillance," *Public Health Report 1994*; 109: 665-72).

Body Mass Index is calculated as: **weight (lb) / [height (in)]² x 703**

See Centers for Disease Control for more information:

http://www.cdc.gov/nccdphp/dnpa/bmi/adult_BMI/about_adult_BMI.htm#Interpreted.

Note that the definitions of overweight and obesity are different for adults (age 20 and over) than for children and teens. For the definition of BMI groups for adults see:

<http://www.cdc.gov/nccdphp/dnpa/obesity/defining.htm>

For children and teens see:

http://www.cdc.gov/nccdphp/dnpa/healthyweight/assessing/bmi/childrens_BMI/about_childrens_BMI.htm

Technical notes:

Both height and weight are top coded and bottom coded for confidentiality. In the 2006-08 data, the topcoded value for height is 77 inches and the bottom coded value is 56 inches. The top coded value for weight is 330 pounds and the bottom coded value is 98 pounds. The flag variables ETHGT and ETWGT indicate if the height or weight value has been top coded or bottom coded.

Female respondents ages 18-50 were told by the interviewers, "*Since pregnancy affects weight, please let me know if you are currently pregnant.*" If the respondent was pregnant when interviewed, then weight was not collected and BMI was not calculated. Thus, pregnant respondents have EUWGT equal to -5 and a missing value for ERBMI.

The height variable, EUHGT, is given in whole inches. If the respondent reported height with a half inch, height was rounded down to the nearest whole inch. For example, 5' 7-1/2" would be recorded as 5' 7". Respondents could also report their height in meters and centimeters, but these measurements were converted to feet and inches during data processing.

The weight variable, EUWGT, is given in pounds. Respondents could also report their weight in kilograms, but these measurements were converted to pounds during data processing.

Note that height and weight are self-reported. Because there are likely to be errors in self-reported values, researchers may want to adjust the values of EUHGT and EUWGT, depending on the research question and methodology.

Cawley and Burkhauser found that while the difference between mean self-reported BMI and mean measured BMI is small, the difference can have an impact on estimates of obesity across a population. (See John Cawley and Richard V. Burkhauser, "Beyond BMI: The Value of More Accurate Measures of Fatness and Obesity in Social Science Research," *National Bureau of Economic Research Working Paper 12291*, June 2006, <http://www.nber.org/papers/w12291>). Thus, self-reported BMI would not be an appropriate indicator to estimate the percentage of Americans who are obese.

However, Kuczmarski et al. found that self-reported weights are acceptable to use for nonelderly adults. (See Kuczmarski, M.F., R.J. Kuczmarski, and M. Najjar, "Effects of Age on Validity of Self-Reported Height, Weight, and Body Mass Index: Findings from the Third National Health and Nutrition Examination Survey, 1988-1994." *Journal of The American Dietetic Association*, 2001. 101(1): p. 28-34).

Pinkston and Steward compared self-reported BMIs in the EH Module with actual BMIs in the National Health and Nutrition Examination Survey (NHANES) and found that the underreporting of EH Module BMIs does not appear to be large. In a comparison of BMI distributions, the EH Module BMIs have a 3 percentage-point greater share of normal-weight persons, 2 percentage points more overweight persons, and 5 percentage points fewer obese persons than the actual BMIs in NHANES. (Josh Pinkston and Jay Steward, "How Does Time Use Affect the Probability of Becoming Obese?" paper presented at the American Time Use Research Conference, College Park, MD, June 22-24, 2009, <http://www.popcenter.umd.edu/research/sponsored-events/atus-conf-workshop-2009>)

Food Stamp participation

EUFSP In the past 30 days, did you or anyone in your household get food stamp benefits?

Motivation:

The Food Stamp Program (renamed Supplemental Nutrition Assistance Program (SNAP) as of October 1, 2008) is the Nation's largest food and nutrition assistance program and is administered by USDA. Understanding the time constraints that low-income households face, both those with and without food stamp/SNAP recipients, is of particular interest to policymakers and program administrators.

Technical notes:

For food stamp eligibility requirements, see http://www.fns.usda.gov/fsp/applicant_recipients/eligibility.htm#Resources.

Using EUFINLWGT creates an estimate of the number of person-days for the civilian population age 15 and older. In analyzing food stamp households, the estimates would be, for example, the number of person-days for the civilian population age 15 and older in a two-adult household with children that receives food stamps. Estimates made using EUFINLWGT will not be of the total population (all ages), households, or of food stamp recipients. Since about half of all food stamp recipients are children (persons under age 18), and the ATUS and EH Module are surveying a population age 15 and older, these data cannot be used to estimate the number of food stamp recipients.

The purpose of collecting food stamp information in the EH Module is to initiate research on time use patterns by food stamp reciprocity. Therefore, the food stamp participation data are useful as a household characteristic of the respondent, but should not be used to estimate the number of persons or of households receiving food stamps.

Program participation is underreported in household surveys for a variety of reasons. (See "Differences in Estimates of Food Stamp Program Participation Between Surveys and Administrative Records," a joint project of the U.S. Census Bureau, Jacob France Institute, University of Baltimore, USDA Economic Research Service, and Maryland Department of Human Resources, June 2004, <http://www.census.gov/acs/www/Downloads/ACS/FoodStampFinalReport.pdf>).

ERS investigated the extent of underreporting of food stamp participation in the Eating & Health Module and found that estimates using the ATUS and EH Module are roughly one-third less than estimates from administrative data. Although this appears to be a large amount of underreporting, it is less than in most other household surveys.

Meals Obtained at School, Day Care, or Summer Camp

EESCLBRK	In the past week, did any of your household children under the age of 19 eat a breakfast that was prepared and served at a school, a paid day care provider, a Head Start center, or a summer day program?
EXSCLBRK	Allocation flag for EESCLBRK.
EEBRK	Ate a breakfast prepared and served at school, day care, Head Start center, or summer day program.
EXBRK	Allocation flag for EEBRK.
ERPWC	Proportion of household children < 19 that ate breakfast at a school, day care, Head Start center, or summer day program.
EESCLLCH	In the past week, did any of your household children under the age of 19 eat a lunch that was prepared and served at a school, a paid day care provider, a Head Start center, or a summer day program?
EXSCLLCH	Allocation flag for EESCLLCH.
EELCH	Ate a lunch prepared and served at school, day care, Head Start center, or summer day program.
EXLCH	Allocation flag for EELCH.
ERPLWC	Proportion of household children who ate lunch at a school, day care, Head Start center, or summer day program.
ERC19NUM	Number of household children < 19 years old.

Motivation:

All respondents who live in households that have at least one child under age 19 are asked if any household child ate a breakfast or lunch that was prepared and served at a school, a paid day care provider, a Head Start center, or a summer day program. These questions are asked about all such meals and not just those provided through USDA's National School Lunch Program (NSLP), School Breakfast Program (SBP), or Child and Adult Care Food Program (CACFP). This differs from most Federal surveys, which ask only about lunches and breakfasts provided through these programs, or, even more restrictively, about free or reduced-price meals provided through these programs to low-income students.

Asking these questions of all households with children allows for the examination of any time benefits provided by obtaining meals at school, day care, Head Start, and summer programs. This information will enable researchers to learn more about the types of households that value those benefits. This effort will complement previous research efforts examining the economic and nutritional benefits of meals provided by USDA Child Nutrition Programs.

Technical Notes:

For more information on the USDA Child Nutrition Programs, see <http://www.fns.usda.gov/cnd/>.

Respondents in households with children (under age 19) are asked:

Please think back over the past week starting last [fill: interview day of week] up to today, [fill: interview day of week]. In the past week, did [fill: you / names of household children under the age of 19 / you or names of household children under the age of 19] eat a BREAKFAST that was prepared and served at a school, a paid day care, a Head Start center, or a summer day program? This question refers ONLY to BREAKFASTS prepared at the school or center—not meals brought from home. If yes, Which children?

If the respondent reports either “Yes” or “No,” then the same question is asked about LUNCH. If the respondent reports that the household child/children did not attend school, day care, Head Start, or a summer day program in the previous week (EESCLBRK=3), then the LUNCH question is not asked. Note that the respondent may be one of the children receiving a school breakfast or lunch.

If the respondent reports “Yes” for any household child for either breakfast or lunch, all household children under age 19 will be in the EH Child file. Respondents in households with no children obtaining breakfast or lunch are not included in the file.

Some minor editing was done on the school meals variables. In particular, if a school meals variable was reported as “Yes” for a 17- or 18-year-old who was enrolled in college or had a high school diploma, then the value was changed to “No.” The intent was to collect information on school meals in schools from kindergarten through high school and in day care centers.

As a result of a programming error that occurred over October 2006 through April 2007, school meals information was not collected for 18-year-olds. Consequently, school meals information was imputed using probabilistic methods (developed using research findings about determinants of school meals), and the EH Module data for 18-year-olds collected during January through May 2006. (See Constance Newman, and Ralston, Katherine, *Profiles of Participants in the National School Lunch Program: Data from Two National Surveys*, USDA, Economic Research Service, Economic Information Bulletin No. 17, August 2006, <http://www.ers.usda.gov/publications/eib17/>)

The fact that many 18-year olds have a high school diploma greatly reduced the number of imputations that had to be made. The variables EXBRK, EXSCLBRK, EXLCH, and EXSCLLCH indicate which observations were imputed. Note that in the cases where EESCLBRK and EESCLLCH were imputed as equal to 1 (Yes), then EEBRK and EELCH were imputed as well. ERPBWC and ERPLWC are thus based in some cases on imputed information. Removing the imputed values is not recommended as it would lead to bias—school meals information for 18-year olds would be available for only part of 2006 and 2007.

Note that the Current Population Survey variables PESCHENR and the ATUS variable TESCHENR are asking the respondent about school enrollment at the time of the interview, so for summer months many children will be coded as being not enrolled in school. The CPS records students on short breaks, such as Christmas or spring break, as being enrolled, but those on summer break as not enrolled. Also note that the CPS interview takes place 2 to 5 months before the ATUS interview, so TESCHENR is the more current and preferred variable to use. However, in some cases only PESCHENR is available. With either variable, researchers will want to be mindful of the month of the ATUS interview, TUMONTH.

The ATUS Roster file includes "Own non-household child <18" (TERRP=40), however, the EH Child file and ERC19NUM includes only household children. In addition, the EH Child file and ERC19NUM include persons age 18.

Using EUFINLWGT creates an estimate of the number of person-days for the civilian population age 15 and older. In analyzing meals obtained at school households, the estimates would be, for example, the number of person-days for the civilian population age 15 and older in a two-adult household with children where the children obtain meals at school. Estimates made using EUFINLWGT will not be of total population (all ages), households, or of children obtaining meals at school as the population surveyed for the ATUS and EH Module is persons age 15 and older.

The purpose of collecting information on meals at school in the EH Module is to allow for research on time use patterns by whether children in the respondent's household obtained meals at school, not to estimate the number of children obtaining meals at school. Therefore, data on meals obtained at school are useful as a household characteristic of the respondent but should not be used to estimate the number of children or of households obtaining meals at school.

Income

EEINCOME1	Last month, was your total household income before taxes more or less than (amount) per month? Note: (amount) approximates 185 percent of poverty threshold.
EXINCOME1	Allocation flag.
ERHHCH	Change in household composition between CPS and ATUS.
ERSPEMCH	Change in spouse or unmarried partner's labor force status or full time or part time employment status between CPS and ATUS.
EUINCOME2	Last month, was your total household income before taxes more or less than (amount) per month? Note: (amount) approximates 130 percent of poverty threshold.
EUINCLVL	Identifies which income values were asked in EEINCOME1 and EUINCOME2.
ERINCOME	Income recode.

Motivation:

This information identifies which respondents are in households that have income levels under the income-eligibility thresholds for food and nutrition assistance programs. As a result, the time use patterns of food assistance participants and of income-eligible nonparticipants can be analyzed.

Technical notes:

Two questions are asked in order to collect information about income. The first (EEINCOME1) asks if the respondent's current monthly household income is more or less than a specified amount, an amount that depends on the number of people in the household and approximates 185 percent of the poverty threshold. The interviewer may also convert the monthly amount to an annual income in order to make the question clearer to the respondent. If the respondent reports that household income is below the amount specified in EEINCOME1, or doesn't know or refuses to answer, a second question (EUINCOME2) asks if the household's monthly income is more or less than a different amount, which again depends on the number of people in the household, and is approximately 130 percent of the poverty threshold.

Note that if respondents reported household monthly income equal to the specified amount in EEINCOME1, then EEINCOME1 was set equal to 2 (less than 185 percent of poverty threshold); similarly, for income reported to be equal to the amount specified in EUINCOME2, EUINCOME2 was set equal to 2 (less than 130 percent of poverty threshold).

These amounts—185 percent and 130 percent of the poverty threshold—are asked because they are the income-eligibility thresholds for food and nutrition assistance programs. (See USDA, Food and Nutrition Service for more information on food and nutrition assistance programs and eligibility, <http://www.fns.usda.gov/fns/default.htm>.) The income-eligibility threshold for reduced-price school meals and for the Special Supplemental Nutrition Program for Women, Infants, and Children (WIC) is 185 percent of the poverty threshold. The income-eligibility threshold for food stamps and for free school meals is 130 percent of the poverty threshold.

The first set of income values, EUINCLVL = 1, includes the income-eligibility thresholds for FY 2006, based on the poverty thresholds released in August 2005 which are based on 2004 data. (See <http://www.census.gov/hhes/www/poverty/threshld.html> for poverty thresholds.) In March 2006, interviewers were given the guidance to round up the thresholds to the next \$100 for ease of understanding. The second set of income values, EUINCLVL = 2, includes the income-eligibility thresholds that went into effect October 1, 2006, for FY 2007. The third set, EUINCLVL = 3, includes income-eligibility thresholds for FY2008 effective October 1, 2007. The fourth set, EUINCLVL = 4, includes income-eligibility thresholds for FY2009 effective October 1, 2008.

There was minimal editing of the income variable EEINCOME1. When EEINCOME1 was missing and EUINCOME2 = 2 (less than 130 percent of the poverty threshold), then EEINCOME1 was set equal to 2 (less than 185 percent of the poverty threshold).

In some cases, a respondent answered “don’t know” or refused to answer EEINCOME1 but did answer EUINCOME2. Likewise, a number of respondents said “don’t know” or refused to answer EUINCOME2 but had already answered EEINCOME1. As a consequence, there is more income information available than first appears by looking at the -2 and -3 values for the two variables. The recode variable ERINCOME summarizes the combinations of the two income variables.

Prior to imputation, about 10 percent of the original EEINCOME1 values were “don’t know” or refused. Although this may seem high, it is a lower nonresponse rate than in some other household surveys. Be that as it may, imputations were done to reduce the number of missing values. Earnings were used to impute values of EEINCOME1. Because earnings are an important source of income, if earnings were greater than 185 percent of the poverty threshold, then total income was likely to be greater as well. (The likelihood that financial or business losses might reduce income below the level of 185 percent of the poverty threshold in such cases was thought to be small.) However, if a household has little or no earnings, it is not known what its income is, as the household may have unearned income. As a consequence, imputations can only be done for income greater than 185 percent of the poverty threshold.

For the imputation, total household earnings of all household members were summed using two sources: the ATUS Respondent file (for respondent’s and spouse’s earnings) and the CPS-ATUS file (for other household members’ earnings). If the total household earnings were greater than 185 percent of the poverty threshold, then EEINCOME1 = 1. In certain rare cases, earnings for some household members were unavailable usually because a household member moved into the household after the earnings information in the ATUS-CPS file was collected. (Information in the ATUS-CPS was collected 2 to 5 months prior to the ATUS and EH Module interviews.)

There was concern about the asymmetry of the income imputations. ERS noted that analysis of missing income observations in the Current Population Survey Food Security Supplement found that the prevalence of food insecurity of the unknown income group is about the same as for households with income 185 percent of the poverty threshold. (*Household Food Security in the United States, 2006*, <http://www.ers.usda.gov/publications/err49/>) Indeed, for other measures of food security in the report, the estimates of the missing income group were similar

to those for households with income 185 percent of the poverty threshold. ERS concluded that the households with missing income were disproportionately households with income above 185 percent of the poverty threshold. This, in turn, suggested that imputing income for ATUS households with earnings more than 185 percent of the poverty threshold would lead to little or no bias.

Researchers who do not want to use the imputed values may use the variable EXINCOME1 to identify the values that were imputed. For researchers who may want to use some—but not all—imputed values, the variables ERSPEMCH and ERHHCH can be used to identify changes in the household membership and changes in household members' labor force status between the final CPS interview and the ATUS interview.

For researchers who would like to further reduce the number of missing values, a possible additional imputation would involve EUFSP and the income variables. If EEINCOME1 and EUINCOME2 values are missing, yet EUFSP=1 (indicating food stamp participation), then researchers may wish to set EEINCOME1=2 and EUINCOME2=2. The rationale would be that if a household is receiving food stamps, then the household income is likely to be less than 130 percent of the poverty threshold, the income-eligibility threshold for the Food Stamp Program/SNAP. The researcher would have to weigh the possible measurement error of misclassifying the household income against the benefit of additional low-income observations.

Grocery shopping and meal preparation

EUGROSHP Are you the person who usually does the grocery shopping in your household?
EUPRPMEL Are you the person who usually prepares the meals in your household?

Research motivation:

By determining if the respondent is the person in the household who is responsible for grocery shopping and meal preparation, the respondent's time diary can be analyzed for research questions involving grocery shopping and meal preparation. This will eliminate the many zero observations of respondents who are not the usual grocery shopper and meal preparer in their households.

Technical notes:

The only editing that was done with these variables was with the small number of cases where respondents living in a single-person household reported that they split the grocery shopping and meal preparation tasks equally with another household member. These cases were recoded as EUGROSHP=1 and EUPRPMEL=1—that is, the respondent was identified as the household member who usually performed these tasks.

Secondary eating and secondary drinking characteristics by month, age 15 and over

	Secondary Eating			Secondary Drinking		
	Percent of those in secondary eating all day of only those who engaged in secondary eating	Mean duration of secondary eating Minutes	Median duration of secondary eating Minutes	Percent of those in secondary drinking all day of only those who engaged in secondary drinking	Mean duration of secondary drinking Minutes	Median duration of secondary drinking Minutes
	Percent	Minutes	Minutes	Percent	Minutes	Minutes
2006	0.25	29.82	15	0.94	118.92	35
1/06	0.00	30.15	15	0.07	117.84	34
2/06	0.00	30.67	15	0.25	110.66	30
3/06	0.00	27.13	15	0.00	112.24	35
4/06	0.00	24.02	15	0.26	115.06	30
5/06	0.16	32.30	15	0.92	117.40	35
6/06	0.00	28.71	15	1.28	155.90	40
7/06	0.00	27.62	15	0.43	134.76	45
8/06	0.00	31.57	15	1.25	129.50	35
9/06	0.70	28.54	15	1.19	116.89	40
"All day" option added						
10/06	0.05	26.96	15	0.50	98.88	30
11/06	1.45	33.07	15	0.63	113.85	40
12/06	0.62	37.05	15	3.87	114.65	30
2007	2.03	49.52	15	10.17	183.86	45
1/07	0.69	35.88	15	5.38	138.74	30
2/07	0.58	43.35	15	4.22	115.32	30
3/07	1.34	39.58	15	5.87	148.37	45
4/07	1.65	44.16	15	10.62	188.77	46
5/07	1.25	35.97	15	8.49	168.05	30
6/07	0.97	46.68	15	11.75	183.00	40
7/07	1.97	50.18	15	9.91	184.05	60
8/07	3.21	63.40	15	13.17	207.20	45
9/07	4.60	68.68	15	13.96	226.38	50
10/07	1.50	48.61	15	13.25	209.81	45
11/07	1.17	40.96	15	9.29	184.03	60
12/07	5.11	74.89	15	13.67	225.97	45
2008	2.17	53.90	15	15.43	225.62	60
1/08	2.77	60.94	15	15.27	220.55	60
2/08	3.79	63.88	15	19.46	253.76	65
3/08	2.65	63.33	15	14.95	225.47	60
4/08	0.82	47.77	15	13.14	216.54	60
5/08	0.89	49.53	15	17.75	232.15	60
6/08	3.23	62.74	15	17.04	236.90	60
7/08	0.89	37.40	15	18.79	255.63	60
8/08	3.75	61.31	15	13.76	214.11	60
9/08	1.23	45.27	15	14.09	207.61	60
10/08	1.22	41.24	15	13.09	208.51	45
11/08	1.21	48.97	15	14.46	241.39	60
12/08	3.31	60.96	15	13.22	203.08	53

In October 2006, an "all day" option was added to the Eating & Health Module survey instrument. "All day" includes all activities in the respondent's 24-hour time diary except sleeping (010101), primary eating and drinking (110101), primary eating and drinking not elsewhere classified (110199 and 119999), and eating and drinking as part of job (050202). Data refer to persons age 15 or older. Source: BLS American Time Use Survey and ERS Eating & Health Module.

Food Stamp Program participation by household characteristics, 2006
Age 15 and over

Persons in food stamp households
as percentage of population age 15 and older 6.4

Persons in food stamp household by household type (*percent*)

Single person	13.9
Multiple adults, no children	19.7
One adult plus children	19.2
Two or more adults plus children	47.1
Other household type	0.1
Total	100.0

With elderly (age 60 and older) 20.3

General health status of persons in food stamp (FS) households versus rest of population

<i>Percent</i>	FS population	Non-FS population
Excellent	11.3	19.5
Very good	19.9	34.9
Good	33.3	29.8
Fair	21.2	12.1
Poor	14.6	3.8

BMI of persons in food stamp households versus rest of population

<i>Percent</i>	FS population	Non-FS population
BMI < 18.5	3.1	2.1
18.5 ≤ BMI < 25.0	34.2	38.6
25.0 ≤ BMI < 30.0	29.5	35.0
30.0 ≤ BMI	33.2	24.4

Note: These estimates are provided as characteristics of the Eating & Health Module data and are not intended as estimates of Food Stamp Program participants.

As of October 1, 2008, the Food Stamp Program was renamed the Supplemental Nutrition Assistance Program (SNAP).

Household type was determined using ATUS Respondent variables TRCHILDNUM and TRNUMHOU. Children are under age 18.

Elderly refers to persons age 60 or older.

Pregnant women are not included in BMI statistics.

Data refer to persons 15 years or older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Food Stamp Program participation by household characteristics, 2007
Age 15 and over

Persons in food stamp households
 as percentage of population age 15 and older 6.1

Persons in food stamp households by household type (*percent*)

Single person	14.5
Multiple adults, no children	23.8
One adult plus children	16.0
Two or more adults plus children	45.6
Total	100.0

With elderly (age 60+) 27.1

General health status of persons in food stamp (FS) households versus rest of population

<i>Percent</i>	FS population	Non-FS population
Excellent	11.1	19.5
Very good	21.0	36.1
Good	33.4	29.9
Fair	21.3	11.5
Poor	13.3	3.1

BMI group of persons in food stamp households versus rest of population

<i>Percent</i>	FS population	Non-FS population
BMI < 18.5	2.3	1.6
18.5 ≤ BMI < 25.0	29.8	37.6
25.0 ≤ BMI < 30.0	30.3	35.6
30.0 ≤ BMI	37.6	25.3

Note: These estimates are provided as characteristics of the Eating & Health Module data and are not intended as estimates of Food Stamp Program participants.

As of October 1, 2008, the Food Stamp Program was renamed the Supplemental Nutrition Assistance Program (SNAP).

Household type was determined using ATUS Respondent variables TRCHILDNUM and TRNUMHOU. Children are under age 18.

Elderly refers to persons age 60 or older.

Pregnant women are not included in BMI statistics.

Data refer to persons 15 years or older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Food Stamp Program/Supplemental Nutrition Assistance Program participation by household characteristics, 2008
Age 15 and over

Persons in food stamp households
as percentage of population age 15 and older 7.00

Persons in food stamp households by household type (*percent*)

Single person	15.6
Multiple adults, no children	19.9
One adult plus children	14.0
Two or more adults plus children	50.6
Total	100.0
With elderly (age 60+)	22.6

General health status of persons in food stamp (FS) households versus rest of population

<i>Percent</i>	FS population	Non-FS population
Excellent	8.4	19.4
Very good	18.0	35.9
Good	38.6	30.5
Fair	23.5	11.0
Poor	11.5	3.2

BMI group of persons in food stamp households versus rest of population

<i>Percent</i>	FS population	Non-FS population
BMI < 18.5	1.4	1.8
18.5 ≤ BMI < 25.0	28.9	37.0
25.0 ≤ BMI < 30.0	31.7	35.6
30.0 ≤ BMI	38.1	25.6

Note: These estimates are provided as characteristics of the Eating & Health Module data and are not intended as estimates of Food Stamp Program participants.

As of October 1, 2008, the Food Stamp Program was renamed the Supplemental Nutrition Assistance Program (SNAP).

Household type was determined using ATUS Respondent variables TRCHILDNUM and TRNUMHOU.

Children are under age 18.

Elderly refers to persons age 60 or older.

Pregnant women are not included in BMI statistics.

Data refer to persons 15 years or older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

General health, height, and weight, 2006
Age 15 and over

	Total civilian population	Men	Women
General health (<i>percent</i>)			
Excellent	19.1	20.5	17.7
Very good	33.8	32.7	34.8
Good	30.1	29.5	30.6
Fair	12.6	13.0	12.3
Poor	4.4	4.3	4.6
Height (average, <i>inches</i>)	66.9	69.8	64.2
Weight (average, <i>pounds</i>)	173.3	191.8	154.9
BMI average	27.1	27.7	26.5
BMI < 18.5	2.0	1.1	2.9
18.5 ≤ BMI < 25.0	37.3	29.5	45.1
25.0 ≤ BMI < 30.0	35.2	41.6	28.8
30.0 ≤ BMI	25.5	27.8	23.2

Note: Data refer to persons age 15 or older.

Pregnant women not included in weight and BMI estimates.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

General health, height, and weight, 2007
Age 15 and over

	Total civilian population	Men	Women
General health (<i>percent</i>)			
Excellent	18.9	19.8	18.1
Very good	35.1	35.8	34.5
Good	30.2	29.8	30.5
Fair	12.1	11.0	13.2
Poor	3.7	3.6	3.8
Height (average, <i>inches</i>)	67.0	69.9	64.2
Weight (average, <i>pounds</i>)	174.2	191.9	156.4
BMI Average	27.1	27.6	26.7
BMI < 18.5	1.6	0.8	2.5
18.5 ≤ BMI < 25.0	37.2	30.3	44.3
25.0 ≤ BMI < 30.0	35.2	41.8	28.5
30.0 ≤ BMI	26.0	27.2	24.8

Note: Data refer to persons age 15 or older.

Pregnant women not included in weight and BMI estimates.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

General health, height, and weight, 2008

Age 15 and over

	Total civilian population	Men	Women
General health (<i>percent</i>)			
Excellent	18.6	18.5	18.7
Very good	34.6	35.6	33.6
Good	31.2	31.0	31.5
Fair	11.9	11.5	12.2
Poor	3.8	3.5	4.1
Height (average, <i>inches</i>)	66.9	69.8	64.2
Weight (average, <i>pounds</i>)	174.0	191.2	157.0
BMI	Average		
BMI < 18.5	1.9	1.2	2.5
18.5 ≤ BMI < 25.0	36.5	29.8	43.3
25.0 ≤ BMI < 30.0	35.2	41.6	28.8
30.0 ≤ BMI	26.4	27.4	25.4

Note: Data refer to persons age 15 or older.

Pregnant women not included in weight and BMI estimates.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Meals obtained at school, day care, or summer camp (MOASDC), 2006**Percent of population age 19 and older in households with children who obtain meals at school, day care, or summer camp by household characteristics**

	Obtain breakfast only	Obtain lunch only	Obtain both	Obtain neither	Not at school last week
	<i>Percent</i>				
Persons in households with members under age 19	1.1	33.0	22.1	40.3	3.5
Households with children age 5 and under	1.3	24.5	24.2	45.0	4.9
Households with children age 6-11	1.0	39.1	28.3	29.5	2.1
Households with children age 12-18	1.0	39.3	21.2	36.4	2.1
Persons in households with members under age 19					
Income <130% poverty threshold	1.5	22.0	37.2	35.2	4.2
130% to 185% above poverty threshold	2.4	27.9	27.7	37.4	4.6
185% above poverty threshold	0.8	37.6	16.0	42.5	3.0
Persons in households with members under age 19					
Obtaining food stamps	0.8	17.0	40.3	37.6	4.3
Not obtaining food stamps	1.2	34.8	19.9	40.7	3.3
Persons in households with members under age 19					
One adult in household (age 19+)	0.9	26.4	36.9	33.1	2.7
More than one adult in household	1.2	33.7	20.5	41.1	3.5
Persons in households with members under age 19					
One child in household	1.0	28.4	17.4	48.3	4.9
Two to three children in household	1.3	36.4	24.3	35.5	2.6
Four or more children in household	0.7	33.7	32.2	32.0	1.4

Note: These estimates are provided as characteristics of the Eating & Health Module data and are not intended as estimates of meals obtained at school, day care, or summer camp. Questions on meals obtained at school/day care are asked for household members age 18 and younger. As of October 1, 2008, the Food Stamp Program was renamed the Supplemental Nutrition Assistance Program (SNAP). Data refer to persons age 19 and older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Meals obtained at school, day care, or summer camp (MOASDC), 2007

Percent of population age 19 and older in households with children who obtain meals at school, day care, or summer camp by household characteristics

	Obtain breakfast only	Obtain lunch only	Obtain both <i>Percent</i>	Obtain neither	Not at school last week
Persons in households with members under age 19	1.2	30.0	23.5	39.4	5.9
Persons in households with members under age 19					
Households with children age 5 and under	1.7	20.6	27.9	42.3	7.5
Households with children age 6-11	1.3	38.3	28.0	28.5	3.9
Households with children age 12-18	1.3	35.0	21.8	36.8	5.2
Persons in households with members under age 19					
Income < 130% poverty threshold	1.4	22.5	37.7	32.5	5.9
130% to 185% above poverty threshold	1.8	26.6	29.3	38.5	3.8
185% above poverty threshold	0.9	32.8	18.1	42.0	6.2
Persons in households with members under age 19					
Obtaining food stamps	1.4	20.1	46.5	28.0	4.0
Not obtaining food stamps	1.2	30.9	21.1	40.6	6.2
Persons in households with members under age 19					
One adult in household (age 19+)	2.0	26.3	38.5	28.3	4.9
More than one adult in household	1.2	30.3	22.2	40.3	6.0
Persons in households with members under age 19					
One child in household	0.9	26.6	18.4	46.6	7.5
Two to three children in household	1.4	32.3	25.4	35.7	5.2
Four or more children in household	1.5	33.6	39.7	23.0	2.3

Note: These estimates are provided as characteristics of the Eating & Health Module data and are not intended as estimates of meals obtained at school, day care, or summer camp. Questions on meals obtained at school/day care are asked for household members age 18 and younger. As of October 1, 2008, the Food Stamp Program was renamed the Supplemental Nutrition Assistance Program (SNAP). Data refer to persons age 19 and older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Meals obtained at school, day care, or summer camp (MOASDC), 2008

Percent of population age 19 and older in households with children who obtain meals at school, day care, or summer camp by household characteristics

	Obtain breakfast only	Obtain lunch only	Obtain both <i>Percent</i>	Obtain neither	Not at school last week
Persons in households with members under age 19	1.1	30.7	23.9	38.0	6.3
Persons in households with members under age 19					
Households with children age 5 and under	1.3	20.9	29.5	40.2	8.1
Households with children age 6-11	1.1	36.9	28.7	29.2	4.2
Households with children age 12-18	1.2	37.2	20.9	35.6	5.2
Persons in households with members under age 19					
Income < 130% poverty threshold	2.0	19.5	38.7	30.0	9.9
130% to 185% above poverty threshold	1.6	23.7	31.7	35.9	7.2
185% above poverty threshold	0.7	35.6	17.3	41.2	5.2
Persons in households with members under age 19					
Obtaining food stamps/SNAP	2.0	19.9	45.7	24.1	8.3
Not obtaining food stamps/SNAP	1.0	32.0	21.1	39.8	6.1
Persons in households with members under age 19					
One adult in household (age 19+)	1.7	22.9	37.9	31.4	6.2
More than one adult in household	1.1	31.5	22.6	38.6	6.3
Persons in households with members under age 19					
One child in household	0.8	26.1	19.0	45.2	9.1
Two to three children in household	1.4	34.7	25.7	33.5	4.7
Four or more children in household	0.7	26.4	37.8	31.5	3.6

Note: These estimates are provided as characteristics of the Eating & Health Module data and are not intended as estimates of meals obtained at school, day care, or summer camp. Questions on meals obtained at school/day care are asked for household members age 18 and younger. As of October 1, 2008, the Food Stamp Program was renamed the Supplemental Nutrition Assistance Program (SNAP). Data refer to persons age 19 and older.
Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Of all persons in a household with at least one child obtaining a meal at school or day care, age of children obtaining meals at school, 2006

	Obtain breakfast only	Obtain lunch only <i>Percent</i>	Obtain both
Persons in households with one child (under age 19) obtaining a meal at school	2.1	61.6	36.3
Persons in households with some children (under age 19) obtaining a meal at school			
All persons in this group	2.3	57.9	39.8
Child/children obtaining school meal age 5 and under	7.1	41.9	51.1
Child/children obtaining school meal age 6-11	1.9	60.5	37.6
Child/children obtaining school meal age 12-18	2.2	66.8	31.0

Note: One person/household can be in more than one of the above categories.

Note: Questions on meals obtained at school/day care are asked for household members age 18 and younger.

Data refer to persons age 19 and older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Of all persons in a household with at least one child obtaining a meal at school or day care, age of children obtaining meals at school, 2007

	Obtain breakfast only	Obtain lunch only <i>Percent</i>	Obtain both
Persons in households with one child (under age 19) obtaining a meal at school	2.4	59.1	38.6
Persons in households with some children (under age 19) obtaining a meal at school			
All persons in this group	2.6	53.8	43.7
Child/children obtaining school meal age 5 and under	4.8	38.2	57.0
Child/children obtaining school meal age 6-11	3.1	58.6	38.3
Child/children obtaining school meal age 12-18	1.8	65.2	33.1

Note: One person/household can be in more than one of the above categories.

Note: Questions on meals obtained at school/day care are asked for household members age 18 and younger.

Data refer to persons age 19 and older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Of all persons in a household with at least one child obtaining a meal at school or day care, age of children obtaining meals at school, 2008

	Obtain breakfast only	Obtain lunch only	Obtain both
	<i>Percent</i>		
Persons in households with one child (under age 19) obtaining a meal at school	1.6	58.8	39.6
Persons in households with some children (under age 19) obtaining a meal at school			
All persons in this group	2.3	54.6	43.1
Child/children obtaining school meal age 5 and under	5.7	37.3	57.0
Child/children obtaining school meal age 6-11	2.3	58.1	39.6
Child/children obtaining school meal age 12-18	1.7	66.0	32.2

Note: One person/household can be in more than one of the above categories.

Note: Questions on meals obtained at school/day care are asked for household members age 18 and younger.

Data refer to persons age 19 and older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Standard errors and 90 percent confidence intervals for table, Time spent in eating and drinking, 2006
Age 15 and older

	Average minutes per day, civilian population ("with zeros")						Average minutes per day, of those who engaged in the activity ("without zeros")					
	Total		Men		Women		Total		Men		Women	
	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-
Total time in primary eating & drinking	0.48	0.78	0.80	1.32	0.76	1.25	0.49	0.80	0.84	1.38	0.72	1.19
Total time in associated activities (waiting, travel)	0.30	0.49	0.41	0.68	0.44	0.72	0.95	1.57	1.27	2.08	1.47	2.42
Secondary eating	0.63	1.43	1.05	1.73	0.71	1.16	1.18	1.95	2.03	3.34	1.25	2.05
Secondary drinking	1.55	2.55	2.33	3.83	2.13	3.51	3.99	6.56	6.64	10.92	5.12	8.43
Secondary eating & drinking – min (assumes all overlap)	1.62	2.67	2.39	3.93	2.15	3.54	2.79	4.58	4.51	7.42	3.45	5.68
Secondary eating & drinking – max (assumes no overlap)	1.80	2.97	2.69	4.43	2.33	3.84	3.12	5.13	5.03	8.28	3.74	6.15
Mid-point of min and max	1.71	2.81	2.53	4.15	2.24	3.68	2.94	4.83	4.74	7.80	3.58	5.89

Note: A primary activity refers to an individual's main activity.
 Primary eating & drinking includes Eating and drinking (110101 and 110199), Eating and drinking, not elsewhere classified (119999) and Eating and drinking as part of job (050202).
 Associated activities are Waiting associated with eating & drinking (110201 and 110299) and Travel related to eating & drinking (181101 and 181199).
 Travel times not included except in associated activities.
 Secondary eating & drinking minimum assumes all overlap of secondary eating & drinking if both occur during a primary activity.
 Secondary eating & drinking maximum assumes no overlap of secondary eating & drinking if both occur during a primary activity.
 Data refer to persons age 15 or older.
 Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Standard errors and 90 percent confidence intervals for table, Time spent in eating and drinking, 2007
Age 15 and older

	Average minutes per day, civilian population ("with zeros")						Average minutes per day, of those who engaged in the activity ("without zeros")					
	Total		Men		Women		Total		Men		Women	
	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-
Total time in primary eating & drinking	0.52	0.85	0.78	1.29	0.72	1.18	0.51	0.84	0.80	1.32	0.70	1.15
Total time in associated activities (waiting, travel)	0.27	0.45	0.48	0.78	0.30	0.49	0.97	1.59	1.53	2.51	1.01	1.66
Secondary eating	1.45	2.38	2.51	4.13	1.91	3.14	2.66	4.37	4.94	8.13	3.29	5.42
Secondary drinking	2.37	3.90	3.25	5.34	3.32	5.46	6.04	9.94	8.45	13.90	7.82	12.86
Secondary eating & drinking – min (assumes all overlap)	2.44	4.01	3.86	6.36	3.34	5.50	4.17	6.86	7.22	11.87	5.55	9.12
Secondary eating & drinking – max (assumes no overlap)	2.42	3.98	3.86	6.35	3.32	5.47	4.13	6.79	7.19	11.83	5.51	9.06
Mid-point of min and max	2.43	4.00	3.86	6.36	3.33	5.48	4.15	6.82	7.20	11.85	5.52	9.09

Note: A primary activity refers to an individual's main activity.

Primary eating & drinking includes Eating and drinking (110101 and 110199), Eating and drinking, not elsewhere classified (119999) and Eating and drinking as part of job (050202).

Associated activities are Waiting associated with eating & drinking (110201 and 110299) and Travel related to eating & drinking (181101 and 181199).

Travel times not included except in associated activities.

Secondary eating & drinking minimum assumes all overlap of secondary eating & drinking if both occur during a primary activity.

Secondary eating & drinking maximum assumes no overlap of secondary eating & drinking if both occur during a primary activity.

Data refer to persons age 15 or older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Standard errors and 90 percent confidence intervals for table, Time spent in eating and drinking, 2008
Age 15 and older

	Average minutes per day, civilian population ("with zeros")						Average minutes per day, of those who engaged in the activity ("without zeros")					
	Total		Men		Women		Total		Men		Women	
	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-	SE	90% CI +/-
Total time in primary eating & drinking	0.52	0.85	0.73	1.21	0.80	1.31	0.51	0.84	0.75	1.24	0.82	1.34
Total time in associated activities (waiting, travel)	0.30	0.49	0.51	0.83	0.35	0.57	1.03	1.70	1.66	2.73	1.23	2.02
Secondary eating	1.31	2.16	1.82	3.00	1.76	2.90	2.45	4.03	3.61	5.94	3.10	5.09
Secondary drinking	2.44	4.01	3.66	6.02	3.44	5.67	5.59	9.20	9.39	15.45	7.68	12.63
Secondary eating & drinking – min (assumes all overlap)	2.66	4.37	3.88	6.39	3.57	5.87	4.48	7.37	7.19	11.82	5.88	9.67
Secondary eating & drinking – max (assumes no overlap)	2.66	4.37	3.69	6.06	3.58	5.89	4.46	7.34	7.17	11.80	5.88	9.67
Mid-point of min and max	2.66	4.37	3.88	6.39	3.57	5.88	4.47	7.35	7.18	11.81	5.88	9.67

Note: A primary activity refers to an individual's main activity.

Primary eating & drinking includes Eating and drinking (110101 and 110199), Eating and drinking, not elsewhere classified (119999) and Eating and drinking as part of job (050202).

Associated activities are Waiting associated with eating & drinking (110201 and 110299) and Travel related to eating & drinking (181101 and 181199).

Travel times not included except in associated activities.

Secondary eating & drinking minimum assumes all overlap of secondary eating & drinking if both occur during a primary activity.

Secondary eating & drinking maximum assumes no overlap of secondary eating & drinking if both occur during a primary activity.

Data refer to persons age 15 or older.

Source: Bureau of Labor Statistics American Time Use Survey and ERS Eating & Health Module.

Unweighted Counts, 2006 data

Variable	Description	File	Value=1	Value=2	Value=3	Value=-1	Value=-2	Value=-3	Total
EUEAT	Eating meals/snacks while doing something else	EH_RESP	6,734	6,026	na	0	43	88	12,891
EUDRINK	Drinking beverages while doing something else	EH_RESP	4,484	8,251	na	0	61	95	12,891
EUGROSH	Usual person who does grocery shopping in hh	EH_RESP	7,601	3,740	1,443	0	3	104	12,891
EUPRPMEL	Usual person who does meal preparation in hh	EH_RESP	7,560	3,825	1,396	0	6	104	12,891
EUFSP	HH received food stamps in last 30 days	EH_RESP	900	11,839	na	0	44	108	12,891
EESCLBRK	HH children ate a brk at school, day care	EH_RESP	1,441	4,871	203	6,212	99	65	12,891
EESCLLCH	HH children ate lunch at school, day care	EH_RESP	3,720	2,598	221	6,212	75	65	12,891
EEINCOME1	Above/below 185% poverty threshold	EH_RESP	8,649	3,663	na	0	407	172	12,891
EUINCOME2	Above/below 130% poverty threshold	EH_RESP	1,418	2,308	na	7,987	875	303	12,891

Variable	Description	File	Value=0	Value=1	Value=2	Value=-1	Value=-2	Value=-3	Total
ETHGT	Topcode flag for height (EUHGT)	EH_RESP	12,532	41	55	263	0	0	12,891
ETWGT	Topcode flag for weight (EUWGT)	EH_RESP	12,173	58	57	603	0	0	12,891

Variable	Description	File	Value>0	Value=-1	Value=-2	Value=-3	Value=-5	Total
EUHGT	Respondent's height (in inches)	EH_RESP	12,628	0	140	123	na	12,891
EUWGT	Respondent's weight (in pounds)	EH_RESP	12,288	0	165	311	127	12,891
EUEDUR	Amt of time doing secondary eating	EH_ACT	9,633	136,735	58	0	na	146,426
EUDDUR	Amt of time doing secondary drinking	EH_ACT	9,347	137,008	71	0	na	146,426

Variable	Description	File	Value=1	Value=2	Value=3	Value=4	Value=5	Value=-1	Value=-2	Value=-3
EUGENHHTH	Respondent's general health	EH_RESP	2,442	4,280	3,814	1,622	601	0	16	116

Variable	Description	File	Value=1	Value=2	Total
EEBRK	Ate a breakfast at school, day care	EH_CHILD	2,263	5,456	7,719
EELCH	Ate a lunch at school, day care	EH_CHILD	6,098	1,621	7,719

File	Number of Observations
EH_RESP	12,891
EH_CHILD	7,719
EH_ACT	146,426
EH_Weights	12,891

Unweighted Counts, 2007 data

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value=1</u>	<u>Value=2</u>	<u>Value=3</u>	<u>Value=-1</u>	<u>Value=-2</u>	<u>Value=-3</u>	<u>Total</u>
EUEAT	Eating meals/snacks while doing something else	EH_RESP	6,669	5,389	na	0	70	105	12,233
EUDRINK	Drinking beverages while doing something else	EH_RESP	4,507	7,482	na	0	124	120	12,233
EUGROSH	Usual person who does grocery shopping in hh	EH_RESP	7,293	3,409	1,397	0	5	129	12,233
EUPRPMEL	Usual person who does meal preparation in hh	EH_RESP	7,150	3,575	1,371	0	6	131	12,233
EUFSP	HH received food stamps in last 30 days	EH_RESP	799	11,263	na	0	41	130	12,233
EESCLBRK	HH children ate a brk at school, day care	EH_RESP	1,390	4,316	275	6,064	112	76	12,233
EESCLLCH	HH children ate lunch at school, day care	EH_RESP	3,318	2,389	311	6,064	75	76	12,233
EEINCOME1	Above/below 185% poverty threshold	EH_RESP	8,146	3,549	na	0	356	182	12,233
EUINCOME2	Above/below 130% poverty threshold	EH_RESP	1,630	2,001	na	7,561	723	318	12,233

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value=0</u>	<u>Value=1</u>	<u>Value=2</u>	<u>Value=-1</u>	<u>Total</u>
ETHGT	Topcode flag for height (EUHGT)	EH_RESP	11,891	33	41	268	12,233
ETWGT	Topcode flag for weight (EUWGT)	EH_RESP	11,512	55	43	623	12,233

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value>0</u>	<u>Value=-1</u>	<u>Value=-2</u>	<u>Value=-3</u>	<u>Value=-5</u>	<u>Total</u>
EUHGT	Respondent's height (in inches)	EH_RESP	11,965	0	119	149	na	12,233
EUWGT	Respondent's weight (in pounds)	EH_RESP	11,610	0	151	347	125	12,233
EUEDUR	Amt of time doing secondary eating	EH_ACT	10,684	125,277	60	1	na	136,022
EUDDUR	Amt of time doing secondary drinking	EH_ACT	13,558	122,371	93	0	na	136,022

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value=1</u>	<u>Value=2</u>	<u>Value=3</u>	<u>Value=4</u>	<u>Value=5</u>	<u>Value=-1</u>	<u>Value=-2</u>	<u>Value=-3</u>
EUGENH	Respondent's general health	EH_RESP	2,292	4,167	3,603	1,503	507	0	19	142

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value=1</u>	<u>Value=2</u>	<u>Total</u>
EEBRK	Ate a breakfast school, day care	EH_CHILD	2,165	4,608	6,773
EELCH	Ate a lunch at school, day care	EH_CHILD	5,426	1,347	6,773

<u>File</u>	<u>Number of Observations</u>
EH_RESP	12,233
EH_CHILD	6,773
EH_ACT	136,022
EH_Weights	12,233

Unweighted Counts, 2008 data

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value=1</u>	<u>Value=2</u>	<u>Value=3</u>	<u>Value=-1</u>	<u>Value=-2</u>	<u>Value=-3</u>	<u>Total</u>
EUEAT	Eating meals/snacks while doing something else	EH_RESP	6,732	5,757	na	0	79	140	12,708
EUDRINK	Drinking beverages while doing something else	EH_RESP	4,711	7,735	na	0	105	157	12,708
EUGROSH	Usual person who does grocery shopping in hh	EH_RESP	7,484	3,534	1,505	0	14	171	12,708
EUPRPMEL	Usual person who does meal preparation in hh	EH_RESP	7,414	3,640	1,465	0	15	174	12,708
EUFSP	HH received food stamps in last 30 days	EH_RESP	943	11,534	na	0	53	178	12,708
EESCLBRK	HH children ate a brk at school, day care	EH_RESP	1,476	4,312	268	6,452	108	92	12,708
EESCLLCH	HH children ate lunch at school, day care	EH_RESP	3,452	2,314	321	6,452	73	96	12,708
EEINCOME1	Above/below 185% poverty threshold	EH_RESP	8,349	3,769	na	0	362	228	12,708
EUINCOME2	Above/below 130% poverty threshold	EH_RESP	1,530	2,263	na	7,751	750	414	12,708

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value=0</u>	<u>Value=1</u>	<u>Value=2</u>	<u>Value=-1</u>	<u>Total</u>
ETHGT	Topcode flag for height (EUHGT)	EH_RESP	12,276	40	64	328	12,708
ETWGT	Topcode flag for weight (EUWGT)	EH_RESP	11,921	51	66	670	12,708

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value>0</u>	<u>Value=-1</u>	<u>Value=-2</u>	<u>Value=-3</u>	<u>Value=-5</u>	<u>Total</u>
EUHGT	Respondent's height (in inches)	EH_RESP	12,380	0	122	206	na	12,708
EUWGT	Respondent's weight (in pounds)	EH_RESP	12,038	0	150	425	95	12,708
EUEDUR	Amt of time doing secondary eating	EH_ACT	11,231	131,019	64	2	na	142,316
EUDDUR	Amt of time doing secondary drinking	EH_ACT	17,890	124,371	55	0	na	142,316

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value=1</u>	<u>Value=2</u>	<u>Value=3</u>	<u>Value=4</u>	<u>Value=5</u>	<u>Value=-1</u>	<u>Value=-2</u>	<u>Value=-3</u>
EUGENH	Respondent's general health	EH_RESP	2,303	4,353	3,774	1,527	540	0	22	189

<u>Variable</u>	<u>Description</u>	<u>File</u>	<u>Value=1</u>	<u>Value=2</u>	<u>Total</u>
EEBRK	Ate a breakfast school, day care	EH_CHILD	2,377	4,752	7,129
EELCH	Ate a lunch at school, day care	EH_CHILD	5,729	1,400	7,129

<u>File</u>	<u>Number of Observations</u>
EH_RESP	12,708
EH_CHILD	7,129
EH_ACT	142,316
EH_Weights	12,708

